



Restylane
KYSSE™

YOUR KYSSE,
YOUR STORY

RESTYLANE® KYSSE™ is a hyaluronic acid (HA) filler with Optimal Balance Technology™ (OBT™) for natural-looking volume and Kysse-able softness—so you can tell your story like never before.¹⁻⁵

GALDERMA

Actual patient. Individual results may vary.

FOR LIPS AS UNIQUE

AS THE STORIES THEY TELL

RESTYLANE KYSSSE USES OPTIMAL BALANCE TECHNOLOGY™ TO ENHANCE YOUR NATURAL BEAUTY

It's a flexible and supportive formulation that has the ability to integrate with your tissue.¹ So it becomes one with your lips, whether you're negotiating business—or bedtime.



NATURAL-LOOKING VOLUME

96% of subjects said their lips looked natural^{2**}

And most had improved lip texture, too!^{3††}



KYSSE-ABLE SOFTNESS

100% said *Restylane Kysse* improved the appearance of their lips.^{2**§} And 9/10 partners agreed their lips were more Kysse-able.^{2††} *Lucky them.*



LONG-LASTING LIPS

Results that last up to 1 year, so you can keep telling your story beautifully.^{4,5||}



LESS PRODUCT, SAME RESULTS

A lower amount of *Restylane Kysse* (1.82 mL) was needed to show an improvement in lip fullness^{4#} compared to Juvéderm Volbella® (2.24 mL)^{4#} *A little Kysse goes a long way.*

*In a phase 4 clinical study, a total of 59 subjects were treated with *Restylane Kysse* in the lips (n=19) or *Restylane Kysse* in the lips in combination with either *Restylane® Refyne* (n=21) or *Restylane® Defyne* (n=37) in the nasolabial folds (NLFs) or marionette lines (MLs).

¹8 weeks after treatment.


²Assessed by an independent photographic reviewer (IPR).

[§]On the Global Aesthetic Improvement Scale (GAIS).

^{||}≥1-grade lip fullness improvement on the Medicis Lip Fullness Scale (MLFS)[§] at 48 weeks or Lip Fullness Grading Scale (LFGS)[§] at 1 year.

[¶]Achieving ≥1-grade improvement on the Medicis Lip Fullness Scale (MLFS).

[#]Post hoc analysis data on the total amount of product needed to show an improvement in lip fullness (MLFS) 8 weeks after treatment.



My lips still
look and feel
completely
like my own.

—
MELISSA
REAL PATIENT

Actual patient. Individual results may vary.
Patient was compensated for her time.

RESULTS THAT SPEAK FOR THEMSELVES

BEFORE



AFTER



BEFORE



AFTER



BEFORE



AFTER




Treated with *Restylane Kysse* in the lips. Same day as treatment.
Actual patients. Individual results may vary.



Actual patient. Individual results may vary. Patient was compensated for her time.

SAFETY IS FUNDAMENTAL

**MORE THAN 2 MILLION *RESTYLANE KY SSE* TREATMENTS
AROUND THE WORLD ALREADY^{6*}**




of subjects said that they would do the treatment again, and all subjects would recommend the treatment to a friend!^{5†}

- Almost all commonly reported side effects with *Restylane Kysse* were mild^{4‡}
- The most commonly observed side effects are swelling, tenderness, bruising, pain, and redness at the injection site⁷

*One treatment is defined as one syringe of the *Restylane Kysse* product.

[†]12 months after treatment.

[‡]In the *Restylane Kysse* treatment group (N=185), all late-onset events (16/16) were assessed as mild in intensity.



My husband's been
coming back for 2nd
(and 3rd) kisses!

—
NIA
REAL PATIENT

Actual patient. Individual results may vary.
Patient was compensated for her time.

LEARN MORE

ABOUT **SMOOTH, NATURAL,**
AND **KISSABLE LIPS** WITH
RESTYLANE KYSSSE



**THE GALDERMA PORTFOLIO OF
AESTHETICS PRODUCTS DELIVERS FULLY
TAILORED, PERSONALIZED TREATMENTS
TO MEET YOUR UNIQUE NEEDS.**

References: **1.** Bertucci, et al. Efficacy and safety of flexible hyaluronic acid Fillers in lip and perioral enhancement. *J Drugs Dermatol.* 2021;20(4):402-408. **2.** Bertucci V, Nikolis A, Solish N, Lane V, Hicks J. Subject and partner satisfaction with lip and perioral enhancement using flexible hyaluronic acid fillers. *J Cosmet Dermatol.* 2021;00:1-6. **3.** Nikolis, A, et al. An objective, quantitative assessment of flexible hyaluronic acid fillers in lip and perioral enhancement. *Dermatol Surg.* 2021;45(5):e168-e173. **4.** Weiss, R, et al. A randomized, controlled, evaluator-blinded, multi-center study of hyaluronic acid filler effectiveness and safety in lip fullness augmentation. *Dermatol Surg.* 2021;47(4):527-532. **5.** Hilton, et al. Randomized, evaluator-blinded study comparing safety and effect of two hyaluronic acid gels for lips enhancement. *Dermatol Surg.* 2018;44(2):261-269. **6.** Data on file. MA-43183. Restylane Kysse 2 million treatments statement letter, 2021. **7.** Instructions for Use, *Restylane Kysse.* EU, 2020.

© 2021 Galderma

All rights reserved. All materials within this document are protected by copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcasted without the prior, express written permission of Galderma.

Restylane and Galderma are registered trademarks.GL-RES-2100241



Restylane
KYSSE™

YOUR KYSSE,
YOUR STORY

Tell your story like never before with *RESTYLANE KYSSE*, a hyaluronic acid (HA) lip filler for natural-looking volume and Kysse-able softness.¹⁻⁵ Ask your aesthetic specialist about *Restylane Kysse*.

GALDERMA

Actual patient. Individual results may vary.