

NATURAL BEAUTY



Built for lips with Optimal Balance Technology[™] (OBT[™]), *RESTYLANE® KYSSE™* provides an ideal balance of flexibility and support for a **natural look and feel**^{1,4}



LASTING RESULTS WITHLESS



Amount of filler needed to show an improvement in **lip fullness**²⁺⁺

RESTYLANE KYSSE (1.82 ML)

JUVÉDERM VOLBELLA® (2.24 ML)



And patients still had improved lip fullness[‡] up to 1 year^{2,3}

THEY LOVE

There's no denying it—in a phase 4 clinical study, 100% of patients (N=59) **reported aesthetic improvement**[‡] at 8 weeks after treatment with *Restylane Kysse*^{4§}





WE ASKED PARTNERS TO KISS AND TELL, TOO

9/10 liked the way their partner's lips looked and felt.⁴⁸ And who could blame them?

SAFETY IS FUNDAMENTAL

Almost all commonly reported adverse events with Restylane Kysse were mild²¹¹

The most commonly observed side effects are swelling, tenderness, bruising, pain, and redness at the injection site⁵

References: 1. Bertucci V, et al. Efficacy and safety of flexible hyaluronic acid fillers in lip and perioral enhancement. *J Drugs Dermatol*. 2021;20(4):402-408. 2. Weiss R, et al. A randomized, controlled, evaluator-blinded, multi-center study of hyaluronic acid filler effectiveness and safety in lip fullness augmentation. *Dermatol Surg*. 2021;47(4):527-532. 3. Hilton S, et al. Randomized, evaluator-blinded study comparing safety and effect of two hyaluronic acid gels for lips enhancement. *Dermatol Surg*. 2018;44(2):261-269. 4. Bertucci V, et al. Subject and partner satisfaction with lip and perioral enhancement using flexible hyaluronic acid fillers. *J Cosmet Dermatol*. 2021;20(5):1499-1504. 5. Instructions for Use, *Restylane Kysse*. EU, 2020.

^{*21} grade lip fullness improvement on the Medicis Lip Fullness Scale (MLFS)² at 48 Weeks or Lip Fullness Grading Scale (LFGS)³ at 1 year.

Post-hoc analysis data on the total amount of product needed to show an improvement in lip fullness 8 weeks after treatment.

‡On the Global Aesthetic Improvement Scale (GAIS).

Sin a phase 4 clinical study, a total of 59 patients were treated with *Restylane Kysse* in the lips (n=19) or *Restylane Kysse* in the lips in combination with either *Restylane Refyne* (n=21) or *Restylane Defyne* (n=37) in the nasolabial folds (NLFs) or medicis lips (MLs).

IIIn the *Restylane Kysse* treatment group (N=185), all late-onset events (16/16) were assessed as mild in intensity.



THEIR STORY

Optimal Balance TechnologyTM (OBTTM) puts the control in your hands. No matter the enhancement goal or injection technique, you can craft lips that look and feel naturally beautiful. $^{1,3-5}$ Please refer to the Instructions for Use.

© 2021 Galderma

All rights reserved. All materials within this document are protected by copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcasted without the prior, express written permission of Galderma.

Restylane and Galderma are registered trademarks.

GL-RES-2100242